

Please amend the subject application as follows:

IN THE CLAIMS:

Please cancel claim 29 and accept amended claims 1, 4, 6, 8-12, 14-15, 21, 23-24, 31-33, 35, 38-40, 43-45 and 48-52, and new claims 53-57 as follows:

1. (currently amended) A video system comprising:

at least one media player;

at least one display, wherein the at least one display is capable of receiving a first video signal and a first audio signal corresponding to a first program from the at least one media player;

an assembly housing for supporting the at least one media player and the at least one display; and

a wireless transmitter on the at least one display for wirelessly transmitting at least one of the first video signal ~~[[and]]~~ or the first audio signal, wherein ~~the wireless transmitter wirelessly transmits at least one of the first video signal and the first audio signal to at least one other display~~ the at least one display is capable of being mounted to the assembly housing at a mounting location in a first orientation and is removable to be remounted at the mounting location in a second orientation reversed from the first orientation.

2. (original) The video system of claim 1, wherein the wireless transmitter wirelessly transmits the first audio signal to at least one pair of wireless headphones.

3. (canceled)

4. (currently amended) The video system of claim 1, wherein:

the at least one display receives a second video signal and a second audio signal corresponding to a second program from one of the at least one media player ~~[[and]]~~ or at least one other media player; and

the wireless transmitter wirelessly transmits at least one of the second video signal ~~[[and]]~~ or the second audio signal on a different channel and at a different frequency from the first video signal and the first audio signal.

5. (original) The video system of claim 4, wherein the wireless transmitter simultaneously transmits the first and second video signals and the first and second audio signals.

6. (currently amended) The video system of claim 4, wherein the at least one display includes a multiplexer for selecting one of the first ~~[[and]]~~ or second programs for display.

7. (original) The video system of claim 1, wherein the wireless transmitter is capable of simultaneously transmitting each of a plurality of wireless signals on a different channel and at a different frequency.

8. (currently amended) The video system of claim 1, wherein the wireless transmitter is capable of wirelessly transmitting signals using at least one of infrared [[and]] or radio frequency.

9. (currently amended) The video system of claim 1, further comprising at least one other wireless transmitter on one of the at least one media player [[and]] or the assembly housing and capable of transmitting at least one of the first video signal [[and]] or the first audio signal to at least one of wireless headphones, the at least one display [[and]] or at least one other display.

10. (currently amended) The video system of claim 1, wherein the at least one display is operatively coupled to the at least one media player and is capable of receiving one of the first video signal [[and]] or the first audio signal via one of a physical connection [[and]] or a wireless receiver.

11. (currently amended) The video system of claim 1, wherein the at least one media player is one of a videocassette player, a digital video disk player, a television tuner [[and]] or a video game player.

12. (currently amended) The video system of claim 1, wherein the at least one media player is one of a clamshell type, slot type [[and]] or a drawer type digital video disk player.

13. (original) The video system of claim 1, wherein the at least one media player includes a door that pivots for allowing insertion of a media storage medium into the at least one media player.
14. (currently amended) The video system of claim 1, further comprising a bag for mounting the assembly housing, including the at least one media player and the at least one display, one of on one seat [[and]] or between two seats in a vehicle.
15. (currently amended) The video system of claim 14, wherein the bag includes at least one opening for providing access to one of controls [[and]] or at least one interface panel of the at least one media player without removing the assembly housing from the bag.
16. (original) The video system of claim 14, wherein the bag includes a plurality of openings for providing access to controls and to at least one interface panel of the at least one media player without removing the assembly housing from the bag.
17. (original) The video system of claim 14, wherein the bag includes at least one opening for providing access to a media storage medium insertion point on the at least one media player without removing the assembly housing from the bag.
18. (original) The video system of claim 1, further comprising a bag for mounting the at least one display to a seat in a vehicle when the at least one display is remote

from the assembly housing.

19. (original) The video system of claim 18, wherein the bag includes at least one opening for providing access to an interface panel of the at least one display without removing the at least one display from the bag.

20. (original) The video system of claim 18, wherein the bag includes at least one opening for providing a view of a screen of the at least one display without removing the at least one display from the bag.

21. (currently amended) The video system of claim 1, wherein a screen of the at least one display is capable of being mounted to faces a first side of the assembly housing in the first orientation and faces a second side of the assembly housing opposite the first side in the second orientation, the first and second positions orientations corresponding to respective first and second orientations of the assembly housing.

22. (original) The video system of claim 1, wherein the at least one display is capable of being pivoted on the assembly housing to a plurality of positions.

23. (currently amended) A video system comprising:

at least one media player;

at least one display, wherein the at least one display is capable of receiving a

first video signal and a first audio signal corresponding to a first program from the at least one media player;

an assembly housing for supporting the at least one media player and the at least one display, wherein the at least one display is capable of being mounted to the assembly housing at a mounting location in a first orientation and is removable to be remounted at the mounting location in a second orientation reversed from the first orientation; and

a first bag for mounting the assembly housing one of on one seat ~~[[and]] or~~ between two seats in a vehicle, wherein the first bag includes ~~a plurality of openings~~ an opening for providing access to controls, ~~to at least one interface panel, and to a~~ media storage medium loading point of the at least one media player without removing the assembly housing from the first bag; ~~and~~

~~a wireless transmitter on the at least one display capable of wirelessly transmitting at least one of the first video signal and the first audio signal, wherein the wireless transmitter is capable of simultaneously transmitting each of a plurality of wireless signals on a different channel and at a different frequency.~~

24. (currently amended) The video system of claim 23, wherein the first bag includes another opening for providing access to at least one interface panel ~~includes input ports and output ports.~~

25. (original) The video system of claim 23, further comprising a second bag for mounting the at least one display to a seat in a vehicle when the at least one display

is remote from the assembly housing.

26. (original) The video system of claim 25, wherein the second bag includes at least one opening for providing access to at least one interface panel of the at least one display without removing the at least one display from the second bag.

27. (original) The video system of claim 25, wherein the second bag includes at least one opening for providing a view of a screen of the at least one display without removing the at least one display from the second bag.

28. – 30. (canceled)

31. (currently amended) The video system of claim 23, further comprising at least one wireless transmitter on one of the at least one media player [[and]] or the assembly housing capable of transmitting at least one of the first video signal [[and]] or the first audio signal to wireless headphones, the at least one display and at least one other display.

32. (currently amended) The video system of claim 23, wherein the at least one media player is one of a videocassette player, a digital video disk player, a television tuner [[and]] or a video game player.

33. (currently amended) The video system of claim 23, wherein the at least one

media player is one of a clamshell type, slot type ~~[[and]]~~ or a drawer type digital video disk player.

34. (original) The video system of claim 23, wherein the at least one media player includes a door that pivots for allowing insertion of the media storage medium into the at least one media player.

35. (currently amended) The video system of claim 23, wherein a screen of the at least one display ~~is capable of being mounted to~~ faces a front side of the assembly housing in the first orientation and faces a rear side of the assembly housing in the second positions corresponding to respective first and second orientations of the assembly housing orientation.

36. (original) The video system of claim 23, wherein the at least one display is capable of being pivoted on the assembly housing to a plurality of positions.

37. (original) The video system of claim 25, wherein the second bag is mounted to a rear of the vehicle seat using at least one strap wrapped around the vehicle seat.

38. (currently amended) A video system mounted to a seat in a vehicle comprising:
a first media player and a second media player;
at least one display operatively coupled to the first and second media players;
and

an assembly housing for supporting the first and second media players and the at least one display, wherein the first media player is accessed via a first panel of the assembly housing, the second media player is accessed via a second panel of the assembly housing adjacent the first panel, and the at least one display is mountable to the assembly housing at a location between the first and second panels; and

~~a bag for mounting the assembly housing one of on one seat and between two seats in a vehicle.~~

39. (currently amended) The video system of claim 38, wherein the first media player is one of a videocassette player, a digital video disk player, a television tuner ~~[[and]]~~ or a video game player.

40. (currently amended) The video system of claim 38, wherein the second media player is one of a videocassette player, a digital video disk player, a television tuner ~~[[and]]~~ or a video game player.

41. (original) The video system of claim 38, wherein the first media player plays media having a different video format than media played by the second media player.

42. (original) The video system of claim 38, wherein the at least one display is capable of receiving video signals and audio signals from the first media player and

the second media player.

43. (currently amended) The video system of claim 38, wherein the first and second media players are capable of wireless transmission of at least one of video [[and]] or audio signals.

44. (currently amended) The video system of claim 38, wherein the first and second media players are capable of wired transmission of at least one of video [[and]] or audio signals.

45. (currently amended) The video system of claim 42, wherein the at least one display receives the video and audio signals via one of a wired connection [[and]] or a wireless connection.

46. (original) The video system of claim 38, wherein the at least one display includes jacks for connecting to the first and second media players, at least one other display and headphones.

47. (original) The video system of claim 38, wherein the assembly housing includes jacks for connecting the first and second media players to the at least one display, at least one other display and headphones.

48. (currently amended) The video system of claim 38, wherein the at least one

display is capable of displaying a program from one of the first ~~[[and]]~~ or second media players while the at least one display is one of supported by ~~[[and]]~~ or remote from the assembly housing.

49. (currently amended) The video system of claim 38, further comprising at least one other display capable of receiving video signals and audio signals from one of the first media player ~~[[and]]~~ or the second media player.

50. (currently amended) The video system of claim 38, further comprising a bag for mounting the assembly housing to the seat, wherein the bag includes ~~a plurality of first and second~~ openings for providing access to controls, ~~to at least one interface panel, and to media storage medium loading points of the first and second media players~~ panels, respectively, without removing the assembly housing from the bag.

51. (currently amended) A portable video system comprising:

~~at least one~~ a first media player and a second media player;

at least one display, wherein the at least one display is capable of receiving ~~[[a]]~~ first and second video signal signals ~~and a first audio signal corresponding to a first program from the at least one first and second media player~~ players, respectively; and

an assembly housing for supporting the ~~at least one~~ first and second media player players and the at least one display, wherein the first media player is accessed via a first panel of the assembly housing, the second media player is

accessed via a second panel of the assembly housing adjacent the first panel, and
the at least one display is mountable to the assembly housing at a location between
the first and second panels; and

~~a wireless transmitter electrically coupled to the at least one media player for~~
~~wirelessly transmitting at least one of the first video signal and the first audio signal,~~
~~wherein the wireless transmitter wirelessly transmits at least one of the first video~~
~~signal and the first audio signal to at least one other display.~~

52. (currently amended) A video system comprising:

at least one media player;

at least one display, wherein the at least one display is capable of receiving a
first video signal and a first audio signal corresponding to a first program from the at
least one media player; and

an assembly housing for supporting the at least one media player and the at
least one display, wherein the at least one display is capable of being mounted to
the assembly housing at a mounting location in a first ~~position~~ orientation and is
removable to be remounted at the mounting location in a second ~~position~~ orientation
reversed from the first ~~position~~ orientation.

53. (new) The video system of claim 52, wherein a screen of the at least one display
faces a front side of the assembly housing in the first orientation and faces a rear
side of the assembly housing in the second orientation.

54. (new) The video system of claim 1, wherein the wireless transmitter wirelessly transmits at least one of the first video signal or the first audio signal to at least one other display.

55. (new) The video system of claim 23, further comprising a wireless transmitter on the at least one display capable of wirelessly transmitting at least one of the first video signal or the first audio signal.

56. (new) The video system of claim 55, wherein:

the at least one display is capable of receiving one of a second video signal or a second audio signal corresponding to a second program from one of the at least one media player or at least one other media player; and

the wireless transmitter is capable of wirelessly transmitting the second video signal and the second audio signal on a different channel and at a different frequency from the first video signal and the first audio signal.

57. (new) The video system of claim 55, wherein the wireless transmitter is capable of simultaneously transmitting each of a plurality of wireless signals on a different channel and at a different frequency.